


HM007 thermometer

Handheld Series



The HM007 thermometer has integral barcode scanner and Bluetooth capabilities. The scanner records product location/ID plus time, date and temperature and Bluetooth transmits the data to a PC, mobile phone or PDA for easy portable temperature logging.

Features

- ✓ Integral barcode reader
- ✓ Built in Bluetooth communications
- ✓ Logs up to 1000 times and dates temperature records
- ✓ Supplied complete with PC software
- ✓ Low battery indication
- ✓ °C/°F selectable
- ✓ User configurable Auto Switch Off capability
- ✓ Over range / Open circuit sensor indication
- ✓ Can be used with all available probes
- ✓ Infrared sensor compatibility

Typical Applications

- Food manufacturing
- Food storage
- Catering/Food service



Instrumentation specification	
Dimension (Excl. ancillaries)	160 x 50 x 30 mm
Weight	200 grams
Power supply	PP3 9V I.E.C 6F22 battery
Case material	ABS plastic
Battery life	Greater than 200 hours (Alkaline)

Electrical	
Measurement range	-200°C to 1372°C (dependant on probe)
Accuracy @ 23°C	+/- 1% of reading +/- 0.2°C
Cold junction compensation	0.0075°C/°C
Characteristic errors	< 0.05°C
Temperature Coefficient	0.01% of reading/ °C
Resolution	0.1° to 1° above 1000°C (autoranging)

Product code: HM007

Environmental	
Ambient Operating range	0°C to 50°C
Storage temperature range	-20°C to 50°C
Humidity	0 to 70% RH
Temperature scales	°C or °F

Barcode	
Readable barcodes	All UPC/EAN/JAN Codes EAN28 Codes Code39 Code128

Bluetooth	
Class	Class 1
Contains	FCC Id: S22btmodule-C11

Accessories	
HP01-S	Dual surface / immersion probe
HPS01	Food simulant probe
HP05	General purpose needle probe
HP07	Heavy duty needle probe

Manufactured by Hanwell | Ellab   RoHS

Version 2 - EC190194

Disclaimer: The information contained herein is believed to be reliable. Hanwell Solutions Ltd. is not responsible for any incorrect or incomplete information on this datasheet and the information or product may be changed without notice.

hanwell.com



ISI sa-nv Instrumentation for Science and Industry
Rue du Doyenné 3 Dekenijstraat 1180 Brussels – Belgium - Tel 02/ 343 30 81


(INTERCONTINENTAL SERVICES INC)

mail : sales@isi-be.eu web : www.isi-be.eu

Probe options (supplied separately)

HP01-S Dual surface /immersion probe

Operating range	-50°C to +250°C
Accuracy	Type T Thermocouple 1/2 Class I (+/-0.2 5°C +/- 0.15%)
Size	10mm diameter by 110mm long




Features:

- Ribbon band sensor with thermocouple sensor attached and draught shield
- Stainless steel 316 (Food grade)
- 2M curly polyurethane cable with moulded connector
- Waterproof and dishwasher safe
- 2 in 1 probe used for surface temperatures and used immersed to take liquid temperatures
- Fast response

HPS01 Food simulant probe

Operating range	-50°C to +150°C
Accuracy	Type T Thermocouple 1/2 Class I (+/-0.2 5°C +/- 0.15%)
Size	100 x 100 x 100mm Nylon block probe with internal thermocouple sensor




Features:

- Mini connection socket housed within body of probe
- Splash-proof
- Ideal for long term temperature measurement

HP05 General purpose needle probe

Operating range	-100°C to +280°C
Accuracy	Type T Thermocouple 1/2 Class I (+/-0.2 5°C +/- 0.15%)
Size	3.3 mm diameter by 100mm long



Features:

- Stainless steel 316 (Food grade)
- 2M curly polyurethane cable with moulded connector
- Waterproof and dishwasher safe
- Designed for cooked/chilled products, or any semi solid state material
- Includes Therna sprint technology

Manufactured by Hanwell | Ellab RoHS

Version 2 - EC190194

Disclaimer: The information contained herein is believed to be reliable. Hanwell Solutions Ltd. is not responsible for any incorrect or incomplete information on this datasheet and the information or product may be changed without notice.

hanwell.com




ISI sa-nv Instrumentation for Science and Industry
Rue du Doyenné 3 Dekenijstraat 1180 Brussels – Belgium - Tel 02/ 343 30 81

(INTERCONTINENTAL SERVICES INC)
mail : sales@isi-be.eu web : www.isi-be.eu

Probe options (supplied separately)

HP07 Heavy duty needle probe

Operating range	-100°C to +280°C
Accuracy	Type T Thermocouple 1/2 Class I (+/-0.2 5°C +/- 0.15%)
Size	6.0 mm diameter by 100mm long



Features:

- Stainless steel 316 (Food grade)
- 2M curly polyurethane cable with moulded connector
- Waterproof and dishwasher safe
- Designed for measurement of semi solid or solid materials
- Pencil point tip
- Includes Therna Sprint technology

Manufactured by Hanwell | Ellab   RoHS

Version 2 - EC190194

Disclaimer: The information contained herein is believed to be reliable. Hanwell Solutions Ltd. is not responsible for any incorrect or incomplete information on this datasheet and the information or product may be changed without notice.

hanwell.com



ISI sa-nv Instrumentation for Science and Industry
Rue du Doyenné 3 Dekenijstraat 1180 Brussels – Belgium - Tel 02/ 343 30 81

(INTERCONTINENTAL SERVICES INC)

mail : sales@isi-be.eu web : www.isi-be.eu